

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	flash SAME parity SAME (odd NEAR3 address) SAME (even NEAR3 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:35
L2	95	((odd NEAR3 (address OR location)) WITH (bank OR chip)) AND ((even NEAR3 (address OR location)) WITH (bank OR chip)) AND flash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:35
L3	117	((odd NEAR3 (address OR location OR block)) WITH (bank OR chip)) AND ((even NEAR3 (address OR location OR block)) WITH (bank OR chip)) AND flash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:35
L4	22	L3 not L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:35
L5	121	(flash) AND ((block NEAR3 (parity OR odd OR even)) SAME (interleav \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:35
L6	132	Netac.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 18:16
S1	106	Netac.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:56

S2	3187	(711/103).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 13:05
S3	2	"5648929".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 13:05
S4	986	flash SAME parity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 13:22
S5	3	flash SAME parity SAME (odd NEAR3 address) SAME (even NEAR3 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 13:22
S6	18536	flash WITH write	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 13:26
S7	28846	flash WITH writ\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 13:26
S8	3032	flash WITH writ\$3 WITH (fast OR quick\$2 OR speed OR latency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 13:28
S9	115	(flash WITH writ\$3 WITH (fast OR quick\$2 OR speed OR latency)) SAME ((two OR multiple OR plural\$3) NEAR (chip OR memory OR bank))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 13:28

S10	1043	((odd NEAR3 (address OR location)) AND (even NEAR3 (address OR location))) AND flash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 15:49
S11	90	((odd NEAR3 (address OR location)) WITH (bank OR chip)) AND ((even NEAR3 (address OR location)) WITH (bank OR chip)) AND flash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 15:50
S12	90	((odd NEAR3 (address OR location)) WITH (bank OR chip)) AND ((even NEAR3 (address OR location OR block)) WITH (bank OR chip)) AND flash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:55
S13	0	S12 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:55
S14	111	((odd NEAR3 (address OR location OR block)) WITH (bank OR chip)) AND ((even NEAR3 (address OR location OR block)) WITH (bank OR chip)) AND flash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:55
S15	21	S14 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:55
S16	2	"6728851".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 17:25
S17	2	"5648929".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 18:33

S18	5518	((flash) AND (block NEAR3 (parity OR odd OR even)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 18:44
S19	109	((flash) AND ((block NEAR3 (parity OR odd OR even)) SAME (interleav \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 18:45
S20	9	((flash OR nonvolatile OR non-volatile OR "non volatile" OR semiconductor OR semiconductor OR "semiconductor") SAME ((block NEAR3 (parity OR odd OR even)) SAME (interleav \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 18:46
S21	17902	((flash) SAME (concurrent \$2 OR simultaneous\$2 OR ("same time"))) SAME (program\$4 OR writ\$3 OR read\$3 OR load\$3 OR stor \$3 OR eras\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 19:00
S22	13270	((flash OR nonvolatile OR non-volatile OR "non volatile" OR semiconductor OR semiconductor OR "semiconductor") WITH (concurrent\$2 OR simultaneous\$2 OR ("same time"))) WITH (program\$4 OR writ\$3 OR read\$3 OR load\$3 OR stor \$3 OR eras\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 19:02
S23	7554	((number) NEAR3 (sectors OR pages OR blocks)) WITH (complet\$3 OR finish\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 10:42
S24	10031	((write NEAR3 counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 10:54

S25	27	(write NEAR3 counter) WITH (finish\$3 OR complet\$3) WITH compar \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 10:54
S26	479	(counter) WITH (writ\$3) WITH (complet\$3 OR finish\$3) WITH (length OR number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:05
S27	314	((counter) WITH (writ\$3) WITH (complet\$3 OR finish\$3) WITH (length OR number)) AND @ad< "20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:06
S28	30	((counter) WITH (writ\$3) WITH (complet\$3 OR finish\$3) WITH (length OR number)) AND @ad< "20031231" AND (flash)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:07
S29	0	@ad< "20031231" AND (flash) AND (counter WITH compar\$4 WITH (length) WITH writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:16
S30	64	@ad< "20031231" AND (counter WITH compar\$4 WITH (length) WITH writ \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:16
S31	0	"10612961".apnr.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/01 12:55
S32	2	"20050010717".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:56
S33	3	(logical ADJ block ADJ address) WITH odd WITH even WITH (chip OR bank)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:06

S34	1486	flash WITH raid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:07
S35	2	flash WITH raid0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:09
S36	37	((flash WITH raid) AND ((block) WITH (odd OR even)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:10
S37	0	((logical NEAR block) WITH interleav\$3 WITH (odd OR even OR parity)) AND flash AND @ad< "20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:21
S38	2	((logical NEAR block) WITH interleav\$3 AND flash AND @ad< "20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:21
S39	864	((block) WITH interleav \$3) AND flash AND @ad< "20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:24
S40	132	((block WITH interleav\$3) SAME (odd OR even OR parity)) AND flash AND @ad< "20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:25
S41	108	raid\$ NEAR3 flash	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/01 14:28
S42	0	(raid\$ NEAR3 flash) SAME (interleav\$3 WITH (writ\$3 OR program\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:29

S43	115	(raid\$ NEAR3 flash)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:29
S44	1	(raid\$ NEAR3 flash) AND (alternat\$3 NEAR3 (chip OR bank))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:49
S45	1	"5671439".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/08 18:05
S46	2136	transfer\$3 WITH count\$3 WITH (subtract\$3 OR difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:07
S47	103	transfer\$3 WITH count\$3 WITH (subtract\$3 OR difference) WITH (complet \$3 OR finish\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:07
S48	57	(transfer\$3 WITH count\$3 WITH (subtract\$3 OR difference) WITH (complet \$3 OR finish\$3)) AND @ad< "20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:08
S49	1	"5671439".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/08 20:08

EAST Search History (Interference)

< This search history is empty>

2/ 24/ 2010 6:17:07 PM

C:\Documents and Settings\Rverderamo\My Documents\EAST\Workspaces\10-584778.wsp